


BambooQuiet™ BQ-19

FSC® Certified
FloorScore® Certified
Zero Formaldehyde

- Noise Reduction 3mm Padding
- L.E.E.D. Contributions: MR4, MR6, MR7, IEQ4
- Average Hardness greater than Maple
- Greater Dimensional Stability than Maple
- Precision Milling, Fit, and Finish
- 1830mm Lengths
- 25 year warranty
- **Soybond** Formaldehyde Free Manufactured Flooring



Plank Dimensions: 16mm x 90mm x 1830mm



Edge Grain, Amber
FL-V5872PA-NAUF/FSC
(Pre-finished)
FL-V5872UA-NAUF/FSC
(Unfinished)



Edge Grain, Natural
FL-V5872PN-NAUF/FSC
(Pre-finished)
FL-V5872UN-NAUF/FSC
(Unfinished)



Flat Grain, Amber
FL-5872PA-NAUF/FSC
(Pre-finished)
FL-5872UA-NAUF/FSC
(Unfinished)




Flat Grain, Natural
FL-5872PN-NAUF/FSC
(Pre-finished)
FL-5872UN-NAUF/FSC
(Unfinished)

BambooQuiet™ Strand BQ-17

FSC® Certified
FloorScore® Certified
Urea Formaldehyde Free

- Noise Reduction 3mm Padding
- L.E.E.D. Contributions: MR4, MR6, MR7, IEQ4
- Average Hardness greater than Maple
- Greater Dimensional Stability than Maple
- Precision Milling, Fit, and Finish
- 1830mm Lengths
- 25 year warranty
- No added urea-formaldehyde



Plank Dimensions: 14mm x 95mm x 1830mm



Neopolitan
Inquire for Pre-finished
FL-P5872UNEO-NAUF/FSC
(Unfinished)



PlybooStrand Havana
FL-P5872PD-NAUF/FSC
(Pre-finished)
FL-P5872UD-NAUF/FSC
(Unfinished)




PlybooStrand Sahara
FL-P5872PH-NAUF/FSC
(Pre-finished)
FL-P5872UH-NAUF/FSC
(Unfinished)

BambooQuiet™ Strand BQ-13

FSC® Certified
FloorScore® Certified
Urea Formaldehyde Free


- Noise Reduction 3mm Padding
- L.E.E.D. Contributions: MR4, MR6, MR7, IEQ4
- Average Hardness greater than Maple
- Greater Dimensional Stability than Maple
- Precision Milling, Fit, and Finish
- 915mm Lengths
- 25 year warranty
- No added urea-formaldehyde



Plank Dimensions: 10mm x 95mm x 915mm



Neopolitan
FL-P3836NEO-NAUF/FSC
(Pre-finished)



PlybooStrand Havana
FL-P3836PD-NAUF/FSC
(Pre-Finished)




PlybooStrand Sahara
FL-P3836PH-NAUF/FSC
(Pre-finished)




BQ-17PS-Strand BQ-13PS-Strand

BambooQuiet : Sprung Mat Detail




BQ-17PS



BQ-13PS

System Components :

Top	Bamboo Strand Surface 19mm x 57mm x 1828mm	14mm			
Base	3mm BambooQuiet sprung pad + chemical DPM painted onto concrete	3mm			
	T O T A L profile	17mm			
Top	Bamboo Strand Surface 10mm x 95mm x 914mm	10mm			
Base	3mm BambooQuiet sprung pad + chemical DPM painted onto concrete	3mm			
	T O T A L profile	13mm			


System Description :

L.E.E.D. contributors	MRc7 : Certified Wood (FSC : Bamboo)				
	MRc7 : FSC sub-floor battens				
	MRc 6 : Rapidly Renewable				
	IEQc6.1, 6.2 : Recycled Content (100% post consumer recycled rubber)				
	IEQc4.3 : Low emitting materials (manufacturing)				
	IEQc4.1,4.2, 4.4 (installer supplied)				
	I.D. Innovation in Design + FloorScore certified				
Colors (3)	Havana FL-P5872-PD - prefinished FL-P5872-UD - unfinished FL-P5836-PD - prefinished		Neopolitan FL-P5872-UNEO unfinished only FL-P5836-NEO - prefinished	Sahara FL-P5872-PH - prefinished FL-P5836-UH - unfinished FL-P5836-PH - prefinished	
Finishes (2)	Unfinished		Prefinished		
System Type	Sprung mat				
Subfloor Construction	BambooQuiet post consumer recycled rubber acoustical padding				
Resilience	BambooQuiet recycled rubber underlayment acoustical padding				
System Profiles Slab Depression	17mm (BambooQuiet Strand)		13mm (BambooQuiet Strand)		
Industry Compliance	Office / Retail space		Multi-Home buildings	Home Exercise	Home
Environmental Certifications	FSC	L.E.E.D	FloorScore	ISO	
Warranty	25 years				




BQ-17PS-Strand BQ-13PS-Strand

BambooQuiet : Sprung Mat Detail




BQ-17PS



BQ-13PS

System Components :

Top	Bamboo Strand Surface 19mm x 57mm x 1828mm	14mm			
Base	3mm BambooQuiet sprung pad + chemical DPM painted onto concrete	3mm			
	T O T A L profile	17mm			
Top	Bamboo Strand Surface 10mm x 95mm x 914mm	10mm			
Base	3mm BambooQuiet sprung pad + chemical DPM painted onto concrete	3mm			
	T O T A L profile	13mm			

System Description :

L.E.E.D. contributors	MRc7 : Certified Wood (FSC : Bamboo)				
	MRc7 : FSC sub-floor battens				
	MRc 6 : Rapidly Renewable				
	IEQc6.1, 6.2 : Recycled Content (100% post consumer recycled rubber)				
	IEQc4.3 : Low emitting materials (manufacturing)				
	IEQc4.1,4.2, 4.4 (installer supplied)				
	I.D. Innovation in Design + FloorScore certified				
Colors (3)	Havana FL-P5872-PD - prefinished FL-P5872-UD - unfinished FL-P5836-PD - prefinished		Neopolitan FL-P5872-UNEO unfinished only FL-P5836-NEO - prefinished	Sahara FL-P5872-PH - prefinished FL-P5836-UH - unfinished FL-P5836-PH - prefinished	
Finishes (2)	Unfinished		Prefinished		
System Type	Sprung mat				
Subfloor Construction	BambooQuiet post consumer recycled rubber acoustical padding				
Resilience	BambooQuiet recycled rubber underlayment acoustical padding				
System Profiles Slab Depression	17mm (BambooQuiet Strand)		13mm (BambooQuiet Strand)		
Industry Compliance	Office / Retail space		Multi-Home buildings	Home Exercise	Home
Environmental Certifications	FSC	L.E.E.D	FloorScore	ISO	
Warranty	25 years				



Amber Edge Grain
FL-V5872PA-NAUF/FSC
FL-V5872UA-NAUF/FSC



Natural Edge Grain
FL-V5872PN-NAUF/FSC
FL-V5872UN-NAUF/FSC




Amber flat Grain
FL-5872PA-NAUF/FSC
FL-5872UA-NAUF/FSC



Natural Flat Grain
FL-5872PN-NAUF/FSC
FL-5872UN-NAUF/FSC

BQ-19PS

BambooQuiet : Sprung Mat Detail



BQ-19PS

System Components :

Top	Bamboo surface 16mm x 92 mm x 1829mm	16mm
Base	3mm BambooQuiet sprung pad + chemical DPM painted onto concrete	3mm
	T O T A L profile	19mm

System Description :

L.E.E.D. contributors	MRc7 : Certified Wood (FSC : Bamboo				
	MRc7 : FSC sub-floor battens				
	MRc 6 : Rapidly Renewable				
	IEQc6.1, 6.2 : Recycled Content (100% post consumer recycled rubber)				
	IEQc4.3 : Low emitting materials (manufacturing)				
	IEQc4.1,4.2, 4.4 (installer supplied)				
	I.D. Innovation in Design + FloorScore certified				
Colors (4)	Amber Edge grain FL-V5872PA-NAUF/FSC FL-V5872UA-NAUF/FSC	Natural Edge Grain FL-V5872PN-NAUF/FSC FL-V5872UN-NAUF/FSC	Amber Flat Grain FL-5872PA-NAUF/FSC FL-5872UA-NAUF/FSC	Natural Flat Grain FL-5872PN-NAUF/FSC FL-5872UN-NAUF/FSC	
Finishes (2)	Prefinished = PN or PA		Unfinished (job-site finished) = UN or UA		
System Type	Acoustical Sprung mat				
Subfloor Construction	BambooQuiet post consumer recycled rubber padding				
Resilience	BambooQuietrecycled rubber underlayment sport padding				
System Profile Slab Depression	19mm (BambooQuiet)				
Industry Compliance	Office / Retail Store		Multi-Home buildings	Home Exercise	Home
Environmental Certifications	FSC	L.E.E.D	FloorScore	ISO	
Warranty	25 years				

BambooQuiet : www.smithfongbamboo.co.uk : 0 1206 211666 : info@smithfongbamboo.co.uk